

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

| | REVISIONS | | | | | | | | |
|-----|-------------|------|---------|----------|--|--|--|--|--|
| RE\ | DESCRIPTION | DATE | INITIAL | APPROVED | | | | | |





REF. AGUSTA P/N: 3G0705G00411.

® RED BARN MACHINE

LANDING GEAR BLOCKING SYSTEM


| 4.003/ | 4.00)/ | | | LINET | | | | PG. | EXTRACTOR OF THE DESCRIPTION OF STREET | | |
|-------------|-------------|-----|--------|-------------|----------------------------|-------------|-----------------------------------|-----|--|--|--|
| ASSY QTY | ASSY QTY | B/O | Part # | UNIT QTY | Description | Material | B/O INFORMATION OR SPECIFICATIONS | | DWG NO. RBW0705G00411-3G | | |
| | | | -1 | 1 | FWD. LANDING GEAR BLOCK | | RBW0705G00453-3G | 1 | MAT'L DRAWN BY: MARPET | | |
| | | | -3 | 1 | AFT L/H LANDING GEAR BLOCK | | RBW0705G00454-SX-3G | 1 | UNLESS OTHERWISE SPECIFIED APPROVED DIMENSIONS ARE IN INCHES HEAT | | |
| | | | -5 | 1 | AFT R/H LANDING GEAR BLOCK | | RBW0705G00455-DX-3G | 1 | .XXX ± .005 FRACTIONS + 1/32 TREAT | | |
| | | | -7 | 1 | PLACARD | PLASTIC | 3 X 6 | 2 | X ± .01 ANGLES ±.5° FINISH X ± .1 ANGLES ±.5° SPEC 1. BREAK ALL SHARP EDGES .015 x 45° SPEC | | |
| | | В/О | -9 | 1 | воттом гоам | Y-20, BLACK | 8.81 X 17.97 X 29.01 | 3 | OR .015R USED ON MODEL | | |
| | | B/O | -11 | 1 | TOP FOAM | Y-20, BLACK | 1.8 X 18.04 X 29.13 | 4 | 2. DIMENSIONAL LIMITS APPLY AFTER AGUSTA AW139 | | |
| | | B/O | -13 | 1 | PELICAN CASE | PLASTIC | PELICAN CASE APP-1650-E | NS | SCALE 1:12 DATE 5/17/2013 SHEET 1 OF 4 | | |


REVISIONS This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine. REV DESCRIPTION INITIAL APPROVED ARIAL TEXT .25 HT -ARIAL TEXT .13 HT RBW0705GOO411-3G ITEM QTY RBW0705G00453-3G FWD. LANDING GEAR BLOCK BLACK BACKGROUND W/ RBW0705G00454-SX-3G AFT L/F LANDING GEAR BLOCK WHITE LINES AND LETTERS RBW0705G00455-DX-3G AFT R/H LANDING GEAR BLOCK 1 4.00 6.00 RED BARN MACHINE **PLACARD** LANDING GEAR BLOCKING SYSTEM RBW0705G00411-3G-7 DRAWN BY: MARPET MAT'L PLASTIC 1. BREAK ALL SHARP EDGES .015 x 45° SPEC OR .015R USED ON MODEL 2. DIMENSIONAL LIMITS APPLY AFTER PLATING AGUSTA AW139 SCALE DATE 5/17/2013 SHEET 2 OF 4

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


 REVISIONS


 REV
 DESCRIPTION
 DATE
 INITIAL
 APPROVED





ВОТТОМ FOAM





SCALE

1:12

RED BARN MACHINE TITLE LANDING GEAR BLOCKING SYSTEM DWG NO. RBW0705G00411-3G-9 MAT'L Y-20, BLACK UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .001 .XX ± .01 .XX ± .01

5/17/2013


SHEET 3 OF 4


DATE


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

 REVISIONS

 REV
 DESCRIPTION
 DATE
 INITIAL
 APPROVED







RED BARN MACHINE

THE LANDING GEAR BLOCKING SYSTEM

RBW0705G00411-3G-11

MAT'L Y-20, BLACK

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
.XXX ± .005 FRACTIONS ± 1/32
.XX ± .01 ANGLES ±.5°
.X ± .01 ANGLES ±.5°
. BREAK ALL SHARP EDGES .015 x 45°
OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING

SCALE 1:12 DATE 5/17/2013 SHEET 4 OF 4

(-11)

TOP FOAM